

**KOHLER**<sup>®</sup>

**KOHLER NEW ZEALAND LIMITED**  
 133 DIANA DRIVE, GLENFIELD AUCKLAND 0627  
 PO BOX 100-146 N.S.M.C AUCKLAND NEW ZEALAND  
 PHONE +64 9 980 6800

# Englefield Spa & Air Massage Baths

## BPIR Declaration

Version: 1 (12/23)

---

### Designated building product: Class 1

---

### Declaration

Kohler New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

---

### Product/system

<b>Name</b>	Englefield Spa & Air Massage Baths
<b>Identifier</b>	Spa Bath: Evora / Sapphire / Studio II / Sorrento II / Emerald Air Massage: Studio II / Valencia

### Description

Drop-In Spa & Air Massage baths intended for personal bathing in residential & commercial applications.

Manufactured in vacuum formed white Sanitary Grade Acrylic, fully reinforced with fibreglass & a fully encapsulated particle board base. Sanitary Grade Acrylic features a high gloss surface for ease of cleaning. Refer to the website for specific jet & control feature availability.

Rectangular sizes: 1520x760, 1670x760, 1800x760, 1800x900, 1850x1100

Corner sizes: 1300x1300, 1500x1500

All sizes are nominal & specific availability varies according to the chosen range (identifier).

Evora & Studio Spa Baths come with a pre-installed support frame with adjustable height feet. Sapphire & Sorrento II Spa baths come with a preinstalled timber frame. An optional timber frame is available for the Studio II & Valencia Air Massage Baths. Duracryl® Acrylic bath walls / apron panels are available for selected models.

---

## Scope of use

For interior installations in residential & commercial buildings.

Rectangular drop-in Spa & Air Massage baths can be installed to one, two (corner) or three (alcove) walls. Corner drop-in Spa & Air Massage baths can be installed to two (corner) walls. All drop-in baths can be hob mounted away from adjacent walls.

Englefield Drop-In Spa & Air Massage cannot be installed as shower-over-baths (please refer to our specific shower-over-bath products for this purpose).

Waste / drain holes are located either centrally or at one end & are compatible with standard DN40 waste outlets. Only the Evora Spa Baths are supplied with a DN40 pop-up waste with overflow. All other Spa & Air Massage Baths do not have an integrated overflow. Consider other options in overall bathroom design to contribute to E3 Internal moisture compliance.

Hot water must be supplied to this sanitary fixture via adjacent tapware.

---

## Conditions of use

The Spa & Air Massage baths must be installed in accordance with our supplied instructions & be installed level on all top edges. The rim and the base of the bath must be fully supported. Do not hang the bath by the rim. Plan for panels for service access to waste, overflow, tapware & spa pump / air blower.

The tapware, waste & any overflow must be installed by a Registered Plumber. The maximum temperature of water at the bath outlet is 50 degrees Celsius.

---

## Relevant building code clauses

**B2 Durability** — B2.3.1 (c)

**F2 Hazardous building materials** — F2.3.1

**G1 Personal Hygiene** — G1.3.2

**G12 Water Supplies** — G12.3.2

---

## Contributions to compliance

- B2.3.1(c):** Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, the Englefield Spa & Air Massage Bath shells (excluding pump & spa components) have a durability of at least 5 years, when installed and maintained in accordance with our supplied instructions. Englefield Spa & Air Massages Baths are designed & manufactured to AS/NZS 2023: 1995 (Baths for ablutionary purposes).
- E3/AS1 3.2.2:** Where Englefield Spa & Air Massage Baths abut impervious wall linings (refer Scope of Use), a 12.5 or 14mm high continuous moulded upstand is provided to allow the joint between fixture and lining to be sealed to prevent water penetration to concealed spaces or behind linings.
- F2.3.1:** No materials used in the construction of Englefield Spa & Air Massage Baths give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.
- G1.3.2:** The Sanitary Grade Acrylic used features a high gloss surface for ease of cleaning.
- G1/AS1 2.6.1:** Englefield Spa & Air Massage Baths are designed & manufactured to AS/NZS 2023: 1995 (Baths for ablutionary purposes).
- G12.3.5:** Englefield Spa & Air Massage Baths must be provided with hot water to satisfy the intended usage of personal bathing (note - tapware not included).

## Supporting documentation

The following additional documentation supports the above statements:

<b>Installation instructions - Bath</b>	<a href="#">V080008-A04-L</a>
<b>Installation &amp; Operation Instructions - Pump</b>	<a href="#">V066670-A02-D</a>
<b>Spa Jet Operation &amp; Maintenance</b>	<a href="#">V066570-A05-D</a>
<b>Warranty statement</b>	<a href="#">1173923-A</a>
<b>Care &amp; maintenance guide</b>	<a href="#">Homeowners Care Guide</a>

For further information supporting Englefield Drop-In Baths claims refer to our website.

## Contact details

<b>Manufacture location</b>	New Zealand, China, Thailand
<b>Manufacturer name(s)</b>	Kohler New Zealand Limited Shanghai Kohler Co. Ltd., Kohler (Thailand) Public Co., Ltd.
<b>Legal and trading name of manufacturer / importer</b>	Kohler New Zealand Limited
<b>Manufacturer / importer address for service</b>	133 Diana Drive Auckland 0627
<b>Manufacturer / importer website(s)</b>	<a href="http://englefield.co.nz">englefield.co.nz</a>
<b>Manufacturer / importer email</b>	customerservicesnz@kohler.com
<b>Manufacturer / importer phone number</b>	099806800
<b>Manufacturer / importer NZBN</b>	9429037167615