

KOHLER[®]

KOHLER NEW ZEALAND LIMITED
 133 DIANA DRIVE, GLENFIELD AUCKLAND 0627
 PO BOX 100-146 N.S.M.C AUCKLAND NEW ZEALAND
 PHONE +64 9 980 6800

Englefield Vanities

BPIR Declaration

Version: A (12/23)

Designated building product: Class 1

Declaration

Kohler New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Englefield Vanities
Identifier	Sapphire / Valencia / Valencia Mini / Valencia Slim / Valencia Elite

Description

Englefield Vanities are intended for use for personal sanitation in residential & commercial buildings.

Sapphire & standard Valencia / Valencia Slim vanity tops are made from Durastone[®], a cast mineral-filled polyester resin with a durable gelcoat surface. Valencia ceramic & Valencia mini vanity tops are made from glazed ceramic. Valencia Elite tops (without basin) are made from engineered stone.

Sapphire, Valencia & Valencia Elite vanity cabinets are made from moisture resistant particle board, finished with high gloss Polyurethane paint, or timber-look laminate. Drawer runners & door hinges feature soft close & quick release functionality.

The Sapphire vanity range features floor standing models only in 750 & 900mm widths.

The Valencia / Valencia Elite vanity range features wall hung & floor standing models in 600, 750, 900 & 1200mm widths. The Valencia Slim vanity range features wall hung models only in 600, 750 & 900mm widths, with a shorter projection of 375mm.

Refer to website to sizing for specific models.

All Valencia, Valencia Slim & Valencia vanity tops feature an integrated overflow. Sapphire vanity tops do not have an overflow.

Scope of use

For interior installations in residential & commercial buildings.

Waste / drain holes are located either centrally or at one end of the vanity top & are compatible with standard DN32 waste outlets. For the noted vanity tops that do not have an integrated overflow, consider other options in overall bathroom design to contribute to E3 Internal moisture compliance.

Hot water must be supplied to this sanitary fixture via adjacent tapware.

Conditions of use

The vanity must be installed in accordance with our supplied instructions. Floor standing models must be fixed to a nog / stud in the wall. Wall hung models must be fixed to two nogs / studs in the wall.

The vanity top must be sealed to the top of the cabinet per the instructions. The vanity top & cabinet must be sealed to the wall & floor per the instructions. Water should not be permitted to run or overflow onto any cabinet surfaces.

The tapware & waste must be installed by a Registered Plumber. The maximum temperature of water at the bath outlet is 50 degrees Celsius.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

Contributions to compliance

B2.3.1(c): Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Englefield Vanities have a durability of at least 5 years, when installed and maintained in accordance with our supplied instructions.

F2.3.1: No materials used in the construction of Englefield Vanities give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1/AS1 2.6.1: Englefield Vanity Tops comply with the relevant requirements of AS/NZS 1730 (Washbasins).

G12.3.5: Englefield Vanities must be provided with hot water to satisfy the intended usage of personal washing (note - tapware not included).

Supporting documentation

The following additional documentation supports the above statements:

Installation instructions	Refer website.
Warranty statement	1173923-A
Care & maintenance guide	Homeowners Care Guide

For further information supporting Englefield Vanities claims refer to our website.

Contact details

Manufacture location	China
Manufacturer name(s)	Kohler approved manufacturers
Legal and trading name of importer	Kohler New Zealand Limited
Importer address for service	133 Diana Drive Auckland 0627
Importer website(s)	kohler.co.nz
Importer email	customerservicesnz@kohler.com
Importer phone number	099806800
Importer NZBN	9429037167615