



KOHLER NEW ZEALAND LIMITED

133 DIANA DRIVE, GLENFIELD AUCKLAND 0627 PO BOX 100-146 N.S.M.C AUCKLAND NEW ZEALAND PHONE +64 9 980 6800

Englefield Shower Heads BPIR Declaration

Version: A (12/23)

Designated building product: Class 1

Declaration

Kohler New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name Englefield Shower Heads (handshower & overhead shower)

Identifier Milano/Studio/Studio II/Studio Pin

Description

The Englefield Milano/Studio/Studio II/Studio Pin Shower Heads are manufactured to comply with AS/NZS 3662 standard.

They are intended for use in residential & commercial applications, with equal mains pressure water supply system.

All models are rated at WELS 3 star, 9 litres/min.

All models are available in chrome finish. Selected models are available in brushed nickel & matt black.

Scope of use

The Englefield Milano/Studio/Studio II/Studio Pin Shower Heads are intended for use with hot & cold water in residential & commercial applications, with equal mains pressure water supply systems.

They could be used on both slide shower configuration and dual rain shower configuration.

All models are supplied with GB 1/2" connection.

Conditions of use

The Englefield Milano/Studio/Studio II/Studio Pin Shower Heads must be installed by a registered plumber in accordance with the supplied instructions & in compliance with the relevant requirements of AS/NZS 3500 & AS/NZS 6400.

The water supply pipes must be flushed thoroughly to remove any debris. In-line water filters must be used.

Recommended working pressure: 35kPa to 500kPa.

If pressure exceeds 500kPa, a pressure limiting valve must be installed.

The maximum permitted temperature of water at the outlet is 50 degrees Celsius.

This product is cleanable and impervious to moisture — cleaning shall be done in accordance with the supplied cleaning instructions.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2, G12.3.5

Contributions to compliance

B2.3.1(c): Per B2/AS1, Durability Requirements of Nominated Building Elements

for Plumbing Fixtures, The Englefield Shower Heads have a durability of at least 15 years, when installed and maintained in accordance with our supplied instructions. The Englefield Shower Heads are designed & manufactured to AS/NZS 3662 (Performance of showers for bathing) & are Watermark certified to this standard under Licence no. WM-

022148.

F2.3.1: No materials used in the construction of Kohler RainCan Shower Heads

give rise to harmful concentrations at the surface of the material where

the material is exposed, or in the atmosphere of any space.

G1.3.2: The Englefield Shower Heads feature chrome or other durable finished

surfaces for ease of cleaning.

G12/AS1 2.1.2: All Englefield showering tapware are fit with 2 single check valves for

backflow prevention.

Supporting documentation

The following additional documentation supports the above statements:

Installation Instructions	Refer website.
Warranty statement(s)	<u>1173923-A</u>
Care & maintenance guide	Homeowners Care Guide

For further information supporting Englefield Shower Head claims refer to our website.

Contact details

Manufacture location	China
Manufacturer	Kohler approved manufacturer
Legal and trading name of importer	Kohler New Zealand Limited
Importer address for service	133 Diana Drive Auckland 0627
Importer website	englefield.co.nz
Importer email	customerservicesnz@kohler.com
Importer phone number	099806800
Importer NZBN	9429037167615