



KOHLER NEW ZEALAND LIMITED

133 DIANA DRIVE, GLENFIELD AUCKLAND 0627 PO BOX 100-146 N.S.M.C AUCKLAND NEW ZEALAND PHONE +64 9 980 6800

Englefield Electronic Bidet Seats BPIR Declaration

Version: A1 (12/23)

Designated building product: Class 1

Declaration

Kohler New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name Englefield Electronic Bidet Seats

Identifier Englefield Bidet Seat_99286A-0

Englefield Bidet Seat Plus 31258A-0

Description

Englefield Electronic Bidet Seats are intended for use in residential & commercial applications.

Englefield Electronic Bidet Seats are supplied with complete fixing kit & installation kit.

External shell of the bidet seat is made from Polypropylene and has White finish.

Scope of use

Englefield Electronic Bidet Seats are intended for use for personal sanitation in residential & commercial buildings.

Both models can be installed to a variety of Englefield & Kohler toilets. They are:

- Englefield Toilets: Valencia BTW / Milano BTW
- Kohler Toilets: Grande BTW / Parliament BTW / Kohler Dual BTW

Mounting template is also available to check the compatibility with other brand toilets.

Conditions of use

Observe all local electrical safety standards.

Installation must comply with G12 and AS/NZS 3500.

Englefield Bidet Seats installed to compatible toilets must be fitted with a High Hazard Backflow Prevention device (not supplied) in accordance with G12 & AS/NZS 3500.1. This requirement is subject to local authority inspection.

Must be installed by a registered plumber in accordance with our supplied instructions.

Maximum working pressure: 500kPa. If pressure exceeds 500kPa, a pressure limiting valve must be installed.

The bidet seat must be firmly fixed to the toilet pan using supplied fixing kit.

IP Rating: IPX4.

This product is cleanable and impervious to moisture — cleaning shall be done in accordance with the supplied cleaning instructions.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

Contributions to compliance

B2.3.1(c):

Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Englefield Bidet Seats have a durability of at least 3 years, when installed and maintained in accordance with our supplied instructions. Englefield Bidet

Seats are designed & manufactured to WMTS-051 (Toilet douche seats) and is Watermark certified to this standard under license no. WM-022454. Supplied flexible hose complies with AS/NZS 3499. Supplied Tee connector complies with AS 3688.

F2.3.1: No materials used in the construction of Englefield Bidet Seats

give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere

of any space.

G1.3.2: All requirements are satisfied per the Watermark certification

to WMTS-051 (Toilet douche seats) under Licence no. WM-

022454.

G12.3.2: (Englefield Bidet Seats installed to compatible toilets only) All

supplied documentation & packaging clearly notifies to the customer & installing plumber that High Hazard backflow

prevention (not supplied) must be installed.

Supporting documentation

The following additional documentation supports the above statements:

Installation instructions	Refer website.
Warranty statement	<u>1173923-A</u>
Care & maintenance guide	Homeowners Care Guide

For further information supporting Englefield Bidet Seats claims refer to our website.

Contact details

Manufacture location	Republic of Korea
Manufacturer name(s)	Kohler Novita Co., Ltd.
Legal and trading name of importer	Kohler New Zealand Limited
Importer address for service	133 Diana Drive Auckland 0627
Importer website(s)	englefield.co.nz

Importer email	customerservicesnz@kohler.com
Importer phone number	099806800
Importer NZBN	9429037167615