# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

#### **Section 1: Identification**

Product name : Sika Showerbond

Product code : 000000607611

Manufacturer or supplier's details

Company : Sika (NZ) Ltd.

85-91 Patiki Road

Avondale

Auckland AKL 1026

Telephone : +64 9 820 2900 Emergency telephone num- : 0800 734 607

ber

Telefax : +64 9 828 4091 E-mail address : info@nz.sika.com

#### Section 2: Hazard identification

**GHS Classification** 

Flammable Liquids : 3.1B

Specific Target Organ Toxicity:

(Oral)

Specific Target Organ Toxicity: 6.9B

(Inhalation)

Aquatic toxicity (Acute or

Chronic)

9.1C

6.9B

**GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H371 May cause damage to organs if swallowed. H371 May cause damage to organs if inhaled. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protective //www.ntextitus.

tion/ face protection.

## Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P309 + P311 IF exposed or if you feel unwell: Call a POISON

CENTER or doctor/ physician.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam for extinction.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

None known.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
cyclohexane	110-82-7	>= 2.5 -< 10
ethanediol	107-21-1	>= 1 -< 10
n-hexane	110-54-3	>= 1 -< 2.5
methylcyclohexane	108-87-2	>= 1 -< 2.5

## Section 4: First-aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

No known significant effects or hazards.

See Section 11 for more detailed information on health effects

and symptoms.

May cause damage to organs if swallowed. May cause damage to organs if inhaled.

Notes to physician : Treat symptomatically.

## Section 5: Fire-fighting measures

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Water

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ıcts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.
 Remove all sources of ignition.
 Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

Section 7: Handling and storage

Advice on protection against

fire and explosion

Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Take precautionary measures against electrostatic discharg-

es.

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Store in original container.

Store in cool place.

Keep in a well-ventilated place. Observe label precautions.

Store in accordance with local regulations.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
cyclohexane	110-82-7	WES-TWA	100 ppm 350 mg/m3	NZ OEL	
		WES-STEL	300 ppm 1,050 mg/m3	NZ OEL	
ethanediol	107-21-1	WES-Ceiling (Vapour and mist)	50 ppm 127 mg/m3	NZ OEL	
n-hexane	110-54-3	WES-TWA	20 ppm 72 mg/m3	NZ OEL	
	Further information: Exposure can also be estimated by biological monitoring				
methylcyclohexane	108-87-2	WES-TWA	400 ppm 1,610 mg/m3	NZ OEL	

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

#### **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
n-hexane	110-54-3	2,5-	Urine	End of	5 mg/l	NZ BEI
		hexanedi-		shift	_	
		one				

## Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

### Section 9: Physical and chemical properties

Appearance : viscous

paste

Colour : green, blue

Odour : solvent-like

Odour Threshold : No data available

pH : Not applicable

Melting point/range / Freezing :

point

No data available

No data available

Flash point : -13 °C (9 °F)

(Method: closed cup)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 0.00001 hPa

Relative vapour density : No data available

Density : ca. 1.23 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : No data available

### **Section 11: Toxicological information**

#### **Acute toxicity**

Not classified based on available information.

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### **Chronic toxicity**

## Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

# Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

May cause damage to organs if swallowed.

May cause damage to organs if inhaled.

# STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

### Section 12: Ecological information

## **Ecotoxicity**

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

# Mobility in soil

No data available

## Other adverse effects

## **Product:**

Additional ecological infor-

: Toxic to aquatic life with long lasting effects.

mation

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

#### Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

### **Section 14: Transport information**

#### International Regulations

IATA-DGR

UN/ID No. : UN 1133
Proper shipping name : Adhesives

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen: 353

ger aircraft)

**IMDG-Code** 

UN number : UN 1133 Proper shipping name : ADHESIVES

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D

Marine pollutant : no

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

**NZS 5433** 

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : II
Labels : 3

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **Section 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

### **HSNO Approval Number**

HSR002662 Surface Coatings and Colourants Flammable Group Standard 2017

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

### The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

#### Section 16: Other information

## Full text of other abbreviations

NZ BEI : New Zealand. Biological Exposure Indices

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

NZ OEL / WES-Ceiling : Workplace Exposure Standard - Ceiling ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

# Sika Showerbond



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/12/12

 2.1
 2020/12/07
 000000607611
 Date of first issue: 2018/12/11

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

NZ / EN