# Sikasil NG



SDS Number: Version **Revision Date:** Date of last issue: 2020/08/19 2021/05/04 000000218616 Date of first issue: 2017/08/01 3.1

#### **Section 1: Identification**

Product name Sikasil NG

Product code : 000000218616

Manufacturer or supplier's details

Company : Sika (NZ) Ltd.

85-91 Patiki Road

Avondale

Auckland AKL 1026

: +64 9 820 2900 Telephone : 0800 734 607

Emergency telephone num-

ber

Telefax : +64 9 828 4091 E-mail address : info@nz.sika.com

Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

#### Section 2: Hazard identification

**GHS Classification** 

Specific Target Organ Toxicity:

(Inhalation)

**GHS** label elements

Hazard pictograms

Signal word Warning

Hazard statements H371 May cause damage to organs if inhaled.

Precautionary statements Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P309 + P311 IF exposed or if you feel unwell: Call a POISON

CENTER or doctor/ physician.

Storage:

P405 Store locked up.

Disposal:

# Sikasil NG



Date of last issue: 2020/08/19 Version **Revision Date:** SDS Number: 2021/05/04 000000218616 Date of first issue: 2017/08/01 3.1

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
tetraethyl silicate	78-10-4	>= 1 -< 10
trimethoxyvinylsilane	2768-02-7	>= 1 -< 10
4,4,7,7-tetraethoxy-3,8-dioxa-4,7-disiladecane	16068-37-4	>= 1 -< 2.5

#### Section 4: First-aid measures

General advice No hazards which require special first aid measures.

If inhaled Move to fresh air.

In case of skin contact Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Flush eyes with water as a precaution. In case of eye contact

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

No known significant effects or hazards.

See Section 11 for more detailed information on health effects

and symptoms.

May cause damage to organs if inhaled.

Treat symptomatically. Notes to physician

#### Section 5: Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

# Sikasil NG



Version Revision Date: SDS Number: Date of last issue: 2020/08/19 2021/05/04 000000218616 Date of first issue: 2017/08/01 3.1

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### Section 6: Accidental release measures

tive equipment and emer-

gency procedures

Personal precautions, protec- : For personal protection see section 8.

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

### Section 7: Handling and storage

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

No special handling advice required.

Follow standard hygiene measures when handling chemical

products

Hygiene measures When using do not eat or drink.

When using do not smoke.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with local regulations.

Materials to avoid No special restrictions on storage with other products.

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
tetraethyl silicate	78-10-4	WES-TWA	10 ppm 85 mg/m3	NZ OEL

#### Occupational exposure limits of decomposition products

		<u> </u>		_
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
methanol	67-56-1	WES-STEL	250 ppm 328 mg/m3	NZ OEL

# Sikasil NG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/08/19

 3.1
 2021/05/04
 000000218616
 Date of first issue: 2017/08/01

	Further information: Exposure can also be estimated by biological monitoring, Skin absorption			
		WES-TWA	200 ppm 262 mg/m3	NZ OEL
ethanol	64-17-5	WES-TWA	1,000 ppm 1,880 mg/m3	NZ OEL

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

### Section 9: Physical and chemical properties

Appearance : paste

Colour : various

Odour : pleasant

Odour Threshold : No data available

pH : ca. 6 - 7

Melting point/range / Freezing :

point

No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper : No data available

# Sikasil NG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/08/19

 3.1
 2021/05/04
 000000218616
 Date of first issue: 2017/08/01

flammability limit

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 0.01 hPa

Relative vapour density : No data available

Density : ca. 1.03 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic :  $> 20.5 \text{ mm2/s} (40 ^{\circ}\text{C} (104 ^{\circ}\text{F}))$ 

Explosive properties : No data available

Oxidizing properties : No data available

Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

methanol ethanol

# Sikasil NG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/08/19

 3.1
 2021/05/04
 000000218616
 Date of first issue: 2017/08/01

### **Section 11: Toxicological information**

### **Acute toxicity**

Not classified based on available information.

#### **Components:**

trimethoxyvinylsilane:

Acute oral toxicity : LD50 Oral (Rat): ca. 7,120 mg/kg

Acute inhalation toxicity : LC50: ca. 16.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50: 3,540 mg/kg

4,4,7,7-tetraethoxy-3,8-dioxa-4,7-disiladecane:

Acute oral toxicity : LD50 Oral (Rat): 161 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): 1,971 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause damage to organs if inhaled.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

### Sikasil NG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/08/19

 3.1
 2021/05/04
 000000218616
 Date of first issue: 2017/08/01

#### **Section 12: Ecological information**

### **Ecotoxicity**

No data available

### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

### **Product:**

Additional ecological infor-

mation

: There is no data available for this product.

### Section 13: Disposal considerations

#### **Disposal methods**

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

### **Section 14: Transport information**

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

#### **NZS 5433**

Not regulated as a dangerous good

### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### Sikasil NG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/08/19

 3.1
 2021/05/04
 000000218616
 Date of first issue: 2017/08/01

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

#### **HSNO Approval Number**

HSR002670

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

# The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

#### Section 16: Other information

#### Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

# Sikasil NG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/08/19

 3.1
 2021/05/04
 000000218616
 Date of first issue: 2017/08/01

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

NZ / EN